SAFETY DATA SHEET

ACP Odor Eliminator & Freshener Fresh Scent

| Section 1. Identification | |
|--|---|
| GHS product identifier | : ACP Odor Eliminator & Freshener Fresh Scent |
| Product code | : 2-2461, # 20 |
| Other means of identification | : Not available. |
| Product type | : Liquid. |
| Relevant identified uses o | f the substance or mixture and uses advised against |
| Identified uses | |
| Not applicable. | |
| Uses advised against Not applicable. | |
| Supplier's details | : Aqua ChemPacs, LLC 2693 Philmont Avenue Huntingdon Valley, PA 19006 (888)964-2080 |
| Emergency telephone number (with hours of operation) | : 1-800-535-5053 (Infotrac) |
| Section 2. Hazar | ds identification |
| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble |

| properties of the concentrated product as supplied, which is sealed in a water soluble |
|--|
| sachet. The following precautionary statements are applicable under conditions of |
| exposure to the large quantities of product (spills over 5 gallons), or handling damaged |
| sachets (full skid). Handling undamaged pouches of product according to instructions |
| does not present any exposure to concentrate, no PPE is required (applicable to |
| Sections 5, 6 and 11 of the current SDS). |

| Classification of the | : FLAMMABLE LIQUIDS - Category 3 |
|-----------------------|----------------------------------|
| substance or mixture | SKIN IRRITATION - Category 2 |
| | SERIOUS EYE DAMAGE - Category 1 |
| | SKIN SENSITIZATION - Category 1 |

GHS label elements Hazard pictograms

Signal word **Hazard statements**

: Danger : Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statements

Section 2. Hazards identification

| Prevention | : Wear protective gloves, protective clothing and eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating or lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Keep container tightly closed. Avoid breathing vapor. Wash thoroughly after handling. |
|----------------------------------|---|
| Response | : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. |
| Storage | : Store in a well-ventilated place. Keep cool. |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazards not otherwise classified | : None known. |

Section 3. Composition/information on ingredients

| Substance/mixture | : Mixture |
|-------------------|------------------|
| Other means of | : Not available. |
| identification | |

| Ingredient name | % | CAS number |
|---------------------------|-------------|------------|
| Diol | Proprietary | - |
| Fatty alcohol ethoxylates | Proprietary | - |
| Alcohol | Proprietary | - |
| (R)-p-mentha-1,8-diene | ≤2.5 | 5989-27-5 |
| Geraniol | <1 | 106-24-1 |
| benzyl salicylate | ≤0.3 | 118-58-1 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necessary first aid measures | | |
|---|---|--|
| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. | |
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. | |

Section 4. First aid measures

| Skin contact | : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|--------------|---|
| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

| Potential acute health effect | <u></u> |
|-------------------------------|---|
| Eye contact | : Causes serious eye damage. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : Causes skin irritation. May cause an allergic skin reaction. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs/symp | toms |
| Eye contact | : Adverse symptoms may include the following: pain watering redness |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : Adverse symptoms may include the following: stomach pains |
| Indication of immediate med | ical attention and special treatment needed, if necessary |
| Notes to physician | : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--------------------------------|--|
| Suitable extinguishing media | : Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Unsuitable extinguishing media | : Do not use water jet. |

Section 5. Fire-fighting measures

| Specific hazards arising from the chemical | : Flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. |
|--|--|
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|------|---|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | onta | ainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---------------------|---|
|---------------------|---|

4/14

Section 7. Handling and storage

| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|---|
| Conditions for safe storage, including any incompatibilities | : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Protect pods from freezing and overheating, avoid high humidity and outdoor storage. Store at temperatures from 50 to 80 F and relative humidity 50-60%. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------------|--|
| Diol | OSHA PEL 1989 (United States, 3/1989). |
| | CEIL: 25 ppm |
| | CEIL: 125 mg/m ³ |
| | NIOSH REL (United States, 10/2016). |
| | CEIL: 25 ppm |
| | CEIL: 125 mg/m ³ |
| | ACGIH TLV (United States, 3/2019). |
| | STEL: 10 mg/m ³ 15 minutes. Form: Inhalable |
| | fraction. Aerosol only. |
| | STEL: 50 ppm 15 minutes. Form: Vapor |
| | fraction |
| | TWA: 25 ppm 8 hours. Form: Vapor fraction |
| Fatty alcohol ethoxylates | None. |
| Alcohol | ACGIH TLV (United States, 1/2022). |
| | TWA: 200 ppm 8 hours. |
| | STEL: 400 ppm 15 minutes. |
| | OSHA PEL 1989 (United States, 3/1989). |
| | TWA: 400 ppm 8 hours. |
| | TWA: 980 mg/m ³ 8 hours. |
| | STEL: 500 ppm 15 minutes. |
| | STEL: 1225 mg/m ³ 15 minutes. |
| | NIOSH REL (United States, 10/2020). |
| | TWA: 400 ppm 10 hours. |
| | TWA: 980 mg/m ³ 10 hours. |
| | STEL: 500 ppm 15 minutes. |
| | STEL: 1225 mg/m ³ 15 minutes. |
| | OSHA PEL (United States, 5/2018). |
| | TWA: 400 ppm 8 hours. |
| | TWA: 980 mg/m ³ 8 hours. |
| | CAL OSHA PEL (United States, 5/2018). |
| | STEL: 1225 mg/m ³ 15 minutes. |
| | STEL: 500 ppm 15 minutes. |
| | TWA: 980 mg/m ³ 8 hours. |
| | TWA: 400 ppm 8 hours. |
| R)-p-mentha-1,8-diene | OARS WEEL (United States, 4/2022). |
| | TWA: 30 ppm 8 hours. |
| Geraniol | None. |
| benzyl salicylate | None. |

Section 8. Exposure controls/personal protection

| Biological exposure indices | | | | |
|----------------------------------|---|---|--|--|
| Ingredient name | | Exposure indices | | |
| Alcohol | | ACGIH BEI (United States, 1/2022) BEI: 40 mg/l, acetone [in urine]. Sampling time: end of shift at end of workweek. | | |
| Appropriate engineering controls | other engineerir recommended of vapor or dust co ventilation equip | | | |
| Environmental exposure controls | they comply with cases, fume scr | ventilation or work process equipment should be checked to ensure the requirements of environmental protection legislation. In some ubbers, filters or engineering modifications to the process equipment y to reduce emissions to acceptable levels. | | |
| Individual protection measu | res | | | |
| Hygiene measures | eating, smoking Appropriate tech Contaminated w contaminated cl | rearms and face thoroughly after handling chemical products, before and using the lavatory and at the end of the working period. Iniques should be used to remove potentially contaminated clothing. York clothing should not be allowed out of the workplace. Wash othing before reusing. Ensure that eyewash stations and safety se to the workstation location. | | |
| Eye/face protection | assessment ind gases or dusts. the assessment | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead. | | |
| Skin protection | | | | |
| Hand protection | worn at all times necessary. Cor during use that noted that the tin glove manufactu | ant, impervious gloves complying with an approved standard should be when handling chemical products if a risk assessment indicates this is usidering the parameters specified by the glove manufacturer, check the gloves are still retaining their protective properties. It should be me to breakthrough for any glove material may be different for different urers. In the case of mixtures, consisting of several substances, the of the gloves cannot be accurately estimated. | | |
| Body protection | performed and t handling this pro static protective | tive equipment for the body should be selected based on the task being he risks involved and should be approved by a specialist before oduct. When there is a risk of ignition from static electricity, wear anti- clothing. For the greatest protection from static discharges, clothing unti-static overalls, boots and gloves. | | |
| Other skin protection | based on the ta | wear and any additional skin protection measures should be selected sk being performed and the risks involved and should be approved by a e handling this product. | | |
| Respiratory protection | appropriate star | azard and potential for exposure, select a respirator that meets the adard or certification. Respirators must be used according to a action program to ensure proper fitting, training, and other important | | |

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Date of previous issue

| Ap | pea | ran | ce | |
|----|-----|-----|----|--|
| | | | | |

| Physical state | : Liquid. |
|----------------|-----------------|
| Color | : Green. [Dark] |
| | |

| Date of | issue/Da | te of re | vision |
|---------|----------|----------|--------|
| Juic of | 10000000 | | 101011 |

Section 9. Physical and chemical properties and safety characteristics

| Odor: Pleasant. [Slight]Odor threshold: Not available.pH: 7 to 8.5 at RTU dilutionMelting point/freezing point: Not available.Boiling point, initial boiling point, and boiling range: Not available.Flash point: Closed cup: 56°C (132.8°F) [Pensky-Martens]Flammability: Not available.Lower and upper explosion limit/flammability limit: Not available.Vapor pressure Relative vapor density: Not available.Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)]Solubility(ies): | | |
|--|------------------------------|---|
| pH:7 to 8.5 at RTU dilutionMelting point/freezing point:Not available.Boiling point, initial boiling point, and boiling range:Not available.Flash point:Closed cup: 56°C (132.8°F) [Pensky-Martens]Flammability:Not available.Lower and upper explosion limit/flammability limit:Not available.Vapor pressure Relative vapor density:Not available.Relative density:0.94Density:0.94 g/cm³ [23°C (73.4°F)] | Odor | : Pleasant. [Slight] |
| Melting point/freezing point: Not available.Boiling point, initial boiling point, and boiling range: Not available.Flash point: Closed cup: 56°C (132.8°F) [Pensky-Martens]Flammability: Not available.Lower and upper explosion limit/flammability limit: Not available.Vapor pressure: Not available.Relative vapor density: Not available.Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)] | Odor threshold | : Not available. |
| Boiling point, initial boiling point, and boiling range: Not available.Flash point: Closed cup: 56°C (132.8°F) [Pensky-Martens]Flammability: Not available.Lower and upper explosion limit/flammability limit: Not available.Vapor pressure Relative vapor density: Not available.Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)] | рН | : 7 to 8.5 at RTU dilution |
| point, and boiling rangeFlash point: Closed cup: 56°C (132.8°F) [Pensky-Martens]Flammability: Not available.Lower and upper explosion limit/flammability limit: Not available.Vapor pressure: Not available.Relative vapor density: Not available.Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)] | Melting point/freezing point | : Not available. |
| Flammability: Not available.Lower and upper explosion: Not available.limit/flammability limit: Not available.Vapor pressure: Not available.Relative vapor density: Not available.Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)] | | : Not available. |
| Lower and upper explosion limit/flammability limit: Not available.Vapor pressure Relative vapor density: Not available.Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)] | Flash point | : Closed cup: 56°C (132.8°F) [Pensky-Martens] |
| limit/flammability limitVapor pressure: Not available.Relative vapor density: Not available.Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)] | Flammability | : Not available. |
| Relative vapor density: Not available.Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)] | | : Not available. |
| Relative density: 0.94Density: 0.94 g/cm³ [23°C (73.4°F)] | Vapor pressure | : Not available. |
| Density : 0.94 g/cm ³ [23°C (73.4°F)] | Relative vapor density | : Not available. |
| | Relative density | : 0.94 |
| Solubility(ies) : | Density | : 0.94 g/cm³ [23°C (73.4°F)] |
| | Solubility(ies) | : |

| | Media | | Result |
|---|-------------------------|---|----------------------------------|
| | | | Easily soluble Easily soluble |
| Solubility in water : Not | | : | Not available. |
| Mi | scible with water | : | Yes. |
| Partition coefficient: n- : Not octanol/water | | : | Not applicable. |
| Au | to-ignition temperature | 1 | Not available. |
| De | composition temperature | 1 | Not available. |
| Vis | scosity | : | Not available. |
| <u>Pa</u> | rticle characteristics | | |
| M | edian particle size | 1 | Not applicable. |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---------------------------|-------------|---------|-------------|----------|
| Diol | LD50 Oral | Rat | 3700 mg/kg | - |
| Fatty alcohol ethoxylates | LD50 Oral | Rat | 1378 mg/kg | - |
| Alcohol | LD50 Dermal | Rabbit | 12800 mg/kg | - |
| | LD50 Oral | Rat | 5000 mg/kg | - |
| (R)-p-mentha-1,8-diene | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 4400 mg/kg | - |
| Geraniol | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 2.1 g/kg | - |
| benzyl salicylate | LD50 Oral | Rat | 2227 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|------------|-------|--------------------|-------------|
| Diol | Skin - Mild irritant | Rabbit | - | 465 mg | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 mg | - |
| Alcohol | Eyes - Moderate irritant | Rabbit | - | 10 mg | - |
| | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 mg | - |
| | Eyes - Severe irritant | Rabbit | - | 100 mg | - |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |
| (R)-p-mentha-1,8-diene | Skin - Mild irritant | Rabbit | - | 24 hours 10 % | - |
| Geraniol | Skin - Mild irritant | Guinea pig | - | 30 % | - |
| | Skin - Moderate irritant | Rabbit | - | 4 hours 0.5 MI | - |
| | Skin - Severe irritant | Guinea pig | - | 24 hours 100 mg | - |
| | Skin - Severe irritant | Human | - | 48 hours 32 % | - |
| | Skin - Severe irritant | Man | - | 24 hours 16 mg | - |
| | Skin - Severe irritant | Rabbit | - | 24 hours 100 mg | - |

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-----------------------------------|------|--------|-----|
| Alcohol (R)-p-mentha-1,8-diene | - | 3 3 | - |

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Section 11. Toxicological information

| Product/ingredient name | | Category | Route of exposure | Target organs |
|---|---|--|-------------------|---|
| Alcohol Geraniol benzyl salicylate | | Category 3 Category 3 Category 2 | - - - | Narcotic effects Narcotic effects - |
| Specific target organ toxic | ity (repeated exposure) | | | |
| Not available. | | | | |
| Aspiration hazard Not available. | | | | |
| nformation on the likely outes of exposure | : Not available. | | | |
| Potential acute health effect | <u>s</u> | | | |
| Eye contact | Causes serious eye | damage. | | |
| Inhalation | | it effects or critical hazard | ds. | |
| Skin contact | - | n. May cause an allergic | | |
| Ingestion | | t effects or critical hazard | | |
| Symptoms related to the phy | ysical, chemical and to | xicological characterist | tics | |
| Eye contact | : Adverse symptoms pain watering redness | may include the following | j: | |
| Inhalation | : No specific data. | | | |
| Skin contact Ingestion | pain or irritation redness blistering may occur | may include the following may include the following | | |
| Delayed and immediate effe | cts and also chronic ef | fects from short and lo | ng term exposure | 2 |
| Short term exposure Potential immediate effects | : Not available. | | | |
| Potential delayed effects Long term exposure | : Not available. | | | |
| Potential immediate effects | : Not available. | | | |
| Potential delayed effects | : Not available. | | | |
| Potential chronic health eff | fects | | | |
| Not available. | | | | |
| General | : Once sensitized, a s very low levels. | severe allergic reaction m | ay occur when su | bsequently exposed t |
| Carcinogenicity | : No known significan | it effects or critical hazard | ds. | |
| oureningementy | | | | |
| Mutagenicity | : No known significan | t effects or critical hazard | ds. | |

Numerical measures of toxicity Acute toxicity estimates

Section 11. Toxicological information

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/ I) |
|---|------------------|-------------------|--------------------------------|----------------------------------|---|
| ACP Odor Eliminator & Freshener Fresh Scent | 3583.2 | N/A | N/A | N/A | N/A |
| Diol | 3700 | N/A | N/A | N/A | N/A |
| Fatty alcohol ethoxylates | 1378 | N/A | N/A | N/A | N/A |
| Alcohol | 5000 | 12800 | N/A | N/A | N/A |
| (R)-p-mentha-1,8-diene | 4400 | N/A | N/A | N/A | N/A |
| Geraniol | 2100 | N/A | N/A | N/A | N/A |
| benzyl salicylate | 2227 | N/A | N/A | N/A | N/A |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure | |
|---------------------------|--|---|----------------------|--|
| Diol | Acute EC50 2800000 µg/l Fresh water | Crustaceans - Ceriodaphnia reticulata - Larvae | 48 hours | |
| | Acute EC50 3200000 µg/l Fresh water | Daphnia - <i>Daphnia magna</i> - Larvae | 48 hours | |
| | Acute LC50 8000000 µg/l Marine water | Fish - Alburnus alburnus | 96 hours | |
| Fatty alcohol ethoxylates | Acute EC50 5.36 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours | |
| | Acute EC50 2686 µg/l Fresh water | Daphnia - <i>Daphnia magna</i> - Neonate | 48 hours | |
| | Acute LC50 8500 µg/l Fresh water | Fish - Pimephales promelas | 96 hours | |
| Alcohol | Acute EC50 7550 mg/l Fresh water | Daphnia - <i>Daphnia magna</i> - Neonate | 48 hours | |
| | Acute LC50 1400000 µg/l Marine water Acute LC50 4200 mg/l Fresh water | Crustaceans - Crangon crangon Fish - Rasbora heteromorpha | 48 hours 96 hours | |
| (R)-p-mentha-1,8-diene | Acute EC50 421 μg/l Fresh water Acute EC50 688 μg/l Fresh water | Daphnia - <i>Daphnia magna</i> Fish - <i>Pimephales promelas</i> - Juvenile (Fledgling, Hatchling, Weanling) | 48 hours 96 hours | |

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|------|-----------|
| Diol | 0.58 | - | Low |
| Alcohol | 0.05 | - | Low |
| (R)-p-mentha-1,8-diene | 4.38 | - | High |
| Geraniol | 2.6 | - | Low |
| benzyl salicylate | - | 1170 | High |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | • | | | | |
|-------------------------------|--|---|---|---|---|
| | DOT Classification | TDG Classification | Mexico Classification | IMDG | ΙΑΤΑ |
| UN number | UN1993 | UN1993 | UN1993 | UN1993 | UN1993 |
| UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (Alcohol) | FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol, (R)-p-mentha- 1,8-diene) | FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol, (R)-p-mentha- 1,8-diene) | FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol, (R)-p-mentha- 1,8-diene) | FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol, (R)-p-mentha- 1,8-diene) |
| Transport hazard class(es) | 3 | 3 | 3 | | 3 |
| Packing group | 111 | III | Ш | 111 | Ш |
| Environmental hazards | No. | Yes. | Yes. The environmentally hazardous substance mark is not required. | Yes. | Yes. The environmentally hazardous substance mark is not required. |

Additional information DOT Classification : This product may be re-classified as "Combustible Liquid," unless transported by vessel or aircraft. Non-bulk packages (less than or equal to 119 gal) of combustible liquids are not regulated as hazardous materials. **TDG Classification** : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.18-2.19 (Class 3), 2.7 (Marine pollutant mark). The marine pollutant mark is not required when transported by road or rail. IMDG : The marine pollutant mark is not required when transported in sizes of ≤ 5 L or ≤ 5 kg. ΙΑΤΑ The environmentally hazardous substance mark may appear if required by other transportation regulations. Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

| • | • |
|---|--|
| U.S. Federal regulations | : TSCA 8(a) PAIR: 2-benzylideneheptanal |
| | TSCA 8(a) CDR Exempt/Partial exemption: Not determined |
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed |
| Clean Air Act Section 602 Class I Substances | : Not listed |
| Clean Air Act Section 602 Class II Substances | : Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed |
| DEA List II Chemicals (Essential Chemicals) | : Not listed |
| SARA 302/304 | |
| Composition/information | on ingredients |
| No products were found. | |
| SARA 304 RQ | : Not applicable. |
| <u>SARA 311/312</u> | |
| Classification | : FLAMMABLE LIQUIDS - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1 |
| Composition/information | an ingradiante |

Composition/information on ingredients

| Name | % | Classification |
|---------------------------|-------------|--|
| Diol | Proprietary | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |
| Fatty alcohol ethoxylates | Proprietary | ACUTE TOXICITY (oral) - Category 4 |
| | | SERIOUS EYE DAMAGE - Category 1 |
| Alcohol | Proprietary | FLAMMABLE LIQUIDS - Category 2 |
| | | EYE IRRITATION - Category 2A |
| | | SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) |
| | | (Narcotic effects) - Category 3 |
| (R)-p-mentha-1,8-diene | ≤2.5 | FLAMMABLE LIQUIDS - Category 3 |
| | | SKIN IRRITATION - Category 2 |
| | | SKIN SENSITIZATION - Category 1 |
| Geraniol | <1 | FLAMMABLE LIQUIDS - Category 4 |
| | | SELF-REACTIVE SUBSTANCES AND MIXTURES - Type G |
| | | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |
| | | SKIN SENSITIZATION - Category 1 |
| | | SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) |
| | | (Narcotic effects) - Category 3 |
| benzyl salicylate | ≤0.3 | EYE IRRITATION - Category 2B |
| | | SKIN SENSITIZATION - Category 1 |
| | | SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - |
| | | Category 2 |

State regulations

| Massachusetts | : The following components are listed: Diol ; Alcohol |
|---------------------|---|
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: Diol ; Alcohol |
| Pennsylvania | : The following components are listed: Diol ; Alcohol |
| California Prop. 65 | |

This product does not require a Safe Harbor warning under California Prop. 65.

| Date of issue/Date of revision | : 11/30/2023 | Date of previous issue | : 12/1/2022 | Version : 1 | 12/14 |
|--------------------------------|--------------|------------------------|-------------|-------------|-------|
|--------------------------------|--------------|------------------------|-------------|-------------|-------|

Section 15. Regulatory information

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

 Montreal Protocol

 Not listed.

 Stockholm Convention on Persistent Organic Pollutants

 Not listed.

 Rotterdam Convention on Prior Informed Consent (PIC)

 Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| Australia | : Not determined. |
|-------------------------|--|
| Canada | : All components are listed or exempted. |
| China | : Not determined. |
| Eurasian Economic Union | : Russian Federation inventory: Not determined. |
| Japan | : Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. |
| New Zealand | : Not determined. |
| Philippines | : Not determined. |
| Republic of Korea | : Not determined. |
| Taiwan | : Not determined. |
| Thailand | : Not determined. |
| Turkey | : Not determined. |
| United States | : Not determined. |
| Viet Nam | : Not determined. |

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

| Date of issue/Date of revision | : 11/30/2023 | Date of previous issue | : 12/1/2022 | Version :1 |
|--------------------------------|-----------------|------------------------|-------------|------------|
| | 1 1 17 007 2020 | | | |

13/14

Section 16. Other information

| Classification | Justification |
|---------------------------------|-----------------------|
| FLAMMABLE LIQUIDS - Category 3 | On basis of test data |
| SKIN IRRITATION - Category 2 | Calculation method |
| SERIOUS EYE DAMAGE - Category 1 | Calculation method |
| SKIN SENSITIZATION - Category 1 | Calculation method |

| Date of printing | . 11/30/2023 |
|--------------------------------|--|
| Date of issue/Date of revision | : 11/30/2023 |
| Date of previous issue | : 12/1/2022 |
| Version | : 1 |
| Key to abbreviations | : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations |
| References | : Not available. |

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.